

## 工 事 数 量 総 括 表

設 計 名 : 林業専用道(規格相当)金城293号線

工事区分 : 林道開設

| 工 種    | 種 別   | 細 別        | 規 格              | 単 位            | 数 量   | 摘 要 |
|--------|-------|------------|------------------|----------------|-------|-----|
| 林道土工   |       |            |                  |                |       |     |
|        | 掘削工   |            |                  |                |       |     |
|        |       | 掘削         | 土砂               | m <sup>3</sup> | 8,660 |     |
|        | 盛土工   |            |                  |                |       |     |
|        |       | 盛土         | 流用土              | m <sup>3</sup> | 7,560 |     |
|        | 路面工   |            |                  |                |       |     |
|        |       | 砕石路面       | RC-40、 t = 100mm | m <sup>2</sup> | 2,509 |     |
|        |       |            |                  |                |       |     |
|        | 作業土工  |            |                  |                |       |     |
|        |       | 床掘り        | 土砂               | m <sup>3</sup> | 56    |     |
|        | 残土処理工 |            |                  |                |       |     |
|        |       | 残土処理       |                  | m <sup>3</sup> | 56    |     |
|        | 法面整形工 |            |                  |                |       |     |
|        |       | 法面整形 (盛土部) |                  | m <sup>2</sup> | 2,173 |     |
| 排水構造物工 |       |            |                  |                |       |     |
|        | 地下排水工 |            |                  |                |       |     |
|        |       | 地下排水       | ねじ込み式プレスト管 φ 150 | m              | 146   |     |
|        |       |            |                  |                |       |     |
|        |       |            |                  |                |       |     |







## □ 土工総括表

### 1. 掘削工

(m<sup>3</sup>)

| 種別 | 飛散土<br>3% | 横断流用土   |         | ダンプトラック運搬土 |         |     |       | 残土運搬 |       | 地山合計    |
|----|-----------|---------|---------|------------|---------|-----|-------|------|-------|---------|
|    |           |         |         | L=(m) 320  |         |     |       | 処理量  | 地山換算量 |         |
|    |           | 盛土量     | 地山換算量   | 盛土量        | 地山換算量   | 盛土量 | 地山換算量 |      |       |         |
| 土砂 | 259.8     | 1,017.5 | 1130.6  | 6,542.7    | 7269.7  |     | 0.0   |      | 0.0   | 8660.1  |
|    |           |         |         |            |         |     |       |      |       |         |
|    |           |         |         |            |         |     |       |      |       |         |
|    |           |         |         |            |         |     |       |      |       |         |
| 合計 | 259.8     | 1,017.5 | 1,130.6 | 6,542.7    | 7,269.7 |     |       | -    | -     | 8,660.1 |

### 2. 盛土工

(m<sup>3</sup>)

| 種別   | 盛土量     |
|------|---------|
| 路体盛土 | 7,560.2 |
| 埋土   | 0.0     |
| 土場   | 0.0     |
| 埋戻   | 0.0     |
| 合計   | 7,560.2 |

| 土量の変化率 |       |       |       |
|--------|-------|-------|-------|
| レキ質土   | /0.90 | 軟岩 I  | /1.15 |
| 砂質土    | /0.90 | 軟岩 II | /1.20 |
| 粘性土    | /0.90 | 硬岩    | /1.40 |



### 土量流用計算書(累加土量計算書)

| 測点    | 点間距離   | 土砂切取数量       |        |             | 盛土数量      |        |           | 埋土 | 路体    | 土場 | 横断流用土 | 運搬土量  | 累加土量   | 追加距離  |
|-------|--------|--------------|--------|-------------|-----------|--------|-----------|----|-------|----|-------|-------|--------|-------|
|       |        | 飛散土量<br>0.03 | 盛土可能土量 | 補正土量<br>0.9 | 飛散土量<br>- | 盛土可能土量 | 補正土量<br>- |    |       |    |       |       |        |       |
| D(土場) |        |              |        |             |           |        |           |    | 0.0   |    | 0.0   | 0.0   | 0.0    |       |
| NO.0  | 0      | 0.0          | 0.0    | 0.0         |           |        |           |    |       |    | 0.0   | 0.0   | 0.0    | 0.0   |
| NO.1  | 20     | 2.7          | 88.3   | 79.5        |           |        |           |    | 5.0   |    | 5.0   | 74.5  | 74.5   | 20.0  |
| NO.2  | 20     | 7.2          | 232.8  | 209.5       |           |        |           |    | 1.0   |    | 1.0   | 208.5 | 283.0  | 40.0  |
| BC.1  | 7.957  | 4.8          | 156.4  | 140.8       |           |        |           |    | 0.4   |    | 0.4   | 140.4 | 423.4  | 48.0  |
| MC.1  | 10.283 | 6.9          | 223.4  | 201.1       |           |        |           |    | 0.0   |    | 0.0   | 201.1 | 624.5  | 58.2  |
| NO.3  | 1.76   | 1.1          | 34.7   | 31.2        |           |        |           |    | 0.0   |    | 0.0   | 31.2  | 655.7  | 60.0  |
| EC.1  | 8.524  | 6.9          | 222.7  | 200.4       |           |        |           |    | 0.4   |    | 0.4   | 200.0 | 855.7  | 68.5  |
| BC.2  | 1.951  | 2.1          | 68.8   | 61.9        |           |        |           |    | 0.4   |    | 0.4   | 61.5  | 917.2  | 70.5  |
| NO.4  | 9.525  | 5.5          | 177.0  | 159.3       |           |        |           |    | 6.9   |    | 6.9   | 152.4 | 1069.6 | 80.0  |
| MC.2  | 2.562  | 0.1          | 1.7    | 1.5         |           |        |           |    | 1.9   |    | 1.5   | -0.4  | 1069.2 | 82.6  |
| EC.2  | 12.088 | 11.8         | 382.8  | 344.5       |           |        |           |    | 0.6   |    | 0.6   | 343.9 | 1413.1 | 94.7  |
| BC.3  | 2.426  | 4.2          | 137.2  | 123.5       |           |        |           |    | 0.0   |    | 0.0   | 123.5 | 1536.6 | 97.1  |
| NO.5  | 2.924  | 3.8          | 122.7  | 110.4       |           |        |           |    | 0.0   |    | 0.0   | 110.4 | 1647.0 | 100.0 |
| MC.3  | 5.723  | 4.5          | 146.4  | 131.8       |           |        |           |    | 0.0   |    | 0.0   | 131.8 | 1778.8 | 105.7 |
| EC.3  | 8.647  | 2.7          | 88.9   | 80.0        |           |        |           |    | 98.3  |    | 80.0  | -18.3 | 1760.5 | 114.4 |
| NO.6  | 5.63   | 0.6          | 18.3   | 16.5        |           |        |           |    | 86.4  |    | 16.5  | -69.9 | 1690.6 | 120.0 |
| NO.7  | 20     | 5.1          | 163.9  | 147.5       |           |        |           |    | 108.0 |    | 108.0 | 39.5  | 1730.1 | 140.0 |
| BC.4  | 12.433 | 7.5          | 241.7  | 217.5       |           |        |           |    | 0.0   |    | 0.0   | 217.5 | 1947.6 | 152.4 |
| NO.8  | 7.567  | 4.4          | 143.2  | 128.9       |           |        |           |    | 0.0   |    | 0.0   | 128.9 | 2076.5 | 160.0 |
| EC.4  | 8.485  | 6.9          | 222.3  | 200.1       |           |        |           |    | 0.0   |    | 0.0   | 200.1 | 2276.6 | 168.5 |
| NO.9  | 11.515 | 10.5         | 340.9  | 306.8       |           |        |           |    | 0.0   |    | 0.0   | 306.8 | 2583.4 | 180.0 |
| NO.10 | 20     | 12.4         | 400.6  | 360.5       |           |        |           |    | 0.0   |    | 0.0   | 360.5 | 2943.9 | 200.0 |
| BC.5  | 5.701  | 3.5          | 113.4  | 102.1       |           |        |           |    | 0.0   |    | 0.0   | 102.1 | 3046.0 | 205.7 |
| NO.11 | 14.299 | 10.2         | 330.9  | 297.8       |           |        |           |    | 0.0   |    | 0.0   | 297.8 | 3343.8 | 220.0 |
| EC.5  | 14.129 | 6.3          | 202.1  | 181.9       |           |        |           |    | 7.1   |    | 7.1   | 174.8 | 3518.6 | 234.1 |
| NO.12 | 5.871  | 0.3          | 8.8    | 7.9         |           |        |           |    | 5.6   |    | 5.6   | 2.3   | 3520.9 | 240.0 |

### 土量流用計算書(累加土量計算書)

| 測点     | 点間距離   | 土砂切取数量       |            |             | 盛土数量      |            |           | 埋土    | 路体   | 土場    | 横断流用土  | 運搬土量  | 累加土量 | 追加距離 |
|--------|--------|--------------|------------|-------------|-----------|------------|-----------|-------|------|-------|--------|-------|------|------|
|        |        | 飛散土量<br>0.03 | 盛土可能<br>土量 | 補正土量<br>0.9 | 飛散土量<br>- | 盛土可能<br>土量 | 補正土量<br>- |       |      |       |        |       |      |      |
| BC.6   | 10.494 | 0.1          | 3.6        | 3.2         |           |            |           | 13.1  | 3.2  | -9.9  | 3511.0 | 250.5 |      |      |
| MC.6   | 5.785  | 0.1          | 1.9        | 1.7         |           |            |           | 8.7   | 1.7  | -7.0  | 3504.0 | 256.3 |      |      |
| NO.13  | 3.721  | 0.0          | 0.0        | 0.0         |           |            |           | 5.4   | 0.0  | -5.4  | 3498.6 | 260.0 |      |      |
| EC.6   | 2.066  | 0.0          | 0.0        | 0.0         |           |            |           | 2.9   | 0.0  | -2.9  | 3495.7 | 262.1 |      |      |
| BC.7   | 11.88  | 0.1          | 3.5        | 3.2         |           |            |           | 10.7  | 3.2  | -7.5  | 3488.2 | 273.9 |      |      |
| NO.14  | 6.054  | 0.1          | 2.0        | 1.8         |           |            |           | 2.4   | 1.8  | -0.6  | 3487.6 | 280.0 |      |      |
| MC.7   | 15.407 | 0.1          | 2.2        | 2.0         |           |            |           | 7.7   | 2.0  | -5.7  | 3481.9 | 295.4 |      |      |
| NO.15  | 4.593  | 0.0          | 0.5        | 0.5         |           |            |           | 12.4  | 0.5  | -11.9 | 3470.0 | 300.0 |      |      |
| EC.7   | 16.869 | 0.0          | 0.8        | 0.7         |           |            |           | 54.0  | 0.7  | -53.3 | 3416.7 | 316.9 |      |      |
| NO.16  | 3.131  | 0.0          | 0.2        | 0.2         |           |            |           | 6.6   | 0.2  | -6.4  | 3410.3 | 320.0 |      |      |
| BC.8   | 4.513  | 0.0          | 0.0        | 0.0         |           |            |           | 9.0   | 0.0  | -9.0  | 3401.3 | 324.5 |      |      |
| MC.8   | 13.187 | 0.4          | 13.4       | 12.1        |           |            |           | 9.9   | 9.9  | 2.2   | 3403.5 | 337.7 |      |      |
| NO.17  | 2.3    | 0.1          | 3.7        | 3.3         |           |            |           | 0.0   | 0.0  | 3.3   | 3406.8 | 340.0 |      |      |
| EC.8   | 10.884 | 1.3          | 42.8       | 38.5        |           |            |           | 0.0   | 0.0  | 38.5  | 3445.3 | 350.9 |      |      |
| NO.18  | 9.116  | 2.1          | 66.8       | 60.1        |           |            |           | 0.0   | 0.0  | 60.1  | 3505.4 | 360.0 |      |      |
| MC.9   | 15.793 | 3.6          | 118.0      | 106.2       |           |            |           | 0.0   | 0.0  | 106.2 | 3611.6 | 375.8 |      |      |
| NO.19  | 4.207  | 0.8          | 26.7       | 24.0        |           |            |           | 0.0   | 0.0  | 24.0  | 3635.6 | 380.0 |      |      |
| ECBC10 | 11.836 | 1.8          | 57.2       | 51.5        |           |            |           | 0.0   | 0.0  | 51.5  | 3687.1 | 391.8 |      |      |
| MC.10  | 6.483  | 0.4          | 13.6       | 12.2        |           |            |           | 16.0  | 12.2 | -3.8  | 3683.3 | 398.3 |      |      |
| NO.20  | 1.681  | 0.0          | 0.0        | 0.0         |           |            |           | 10.4  | 0.0  | -10.4 | 3672.9 | 400.0 |      |      |
| EC.10  | 4.799  | 0.0          | 0.8        | 0.7         |           |            |           | 46.4  | 0.7  | -45.7 | 3627.2 | 404.8 |      |      |
| NO.21  | 15.201 | 2.5          | 80.3       | 72.3        |           |            |           | 123.9 | 72.3 | -51.6 | 3575.6 | 420.0 |      |      |
| NO.22  | 20     | 6.8          | 220.2      | 198.2       |           |            |           | 13.0  | 13.0 | 185.2 | 3760.8 | 440.0 |      |      |
| BC.11  | 2.575  | 1.2          | 38.5       | 34.7        |           |            |           | 0.0   | 0.0  | 34.7  | 3795.5 | 442.6 |      |      |
| MC.11  | 15.335 | 10.9         | 351.9      | 316.7       |           |            |           | 0.0   | 0.0  | 316.7 | 4112.2 | 457.9 |      |      |
| NO.23  | 2.09   | 1.6          | 50.8       | 45.7        |           |            |           | 0.0   | 0.0  | 45.7  | 4157.9 | 460.0 |      |      |
| EC.11  | 13.246 | 4.3          | 138.1      | 124.3       |           |            |           | 82.8  | 82.8 | 41.5  | 4199.4 | 473.2 |      |      |

### 土量流用計算書(累加土量計算書)

| 測点    | 点間距離   | 土砂切取数量       |            |             | 盛土数量      |            |           | 埋土 | 路体    | 土場 | 横断流用土 | 運搬土量   | 累加土量   | 追加距離  |
|-------|--------|--------------|------------|-------------|-----------|------------|-----------|----|-------|----|-------|--------|--------|-------|
|       |        | 飛散土量<br>0.03 | 盛土可能<br>土量 | 補正土量<br>0.9 | 飛散土量<br>- | 盛土可能<br>土量 | 補正土量<br>- |    |       |    |       |        |        |       |
| NO.24 | 6.754  | 0.0          | 0.0        | 0.0         |           |            |           |    | 100.6 |    | 0.0   | -100.6 | 4098.8 | 480.0 |
| NO.25 | 20     | 4.7          | 150.3      | 135.3       |           |            |           |    | 204.0 |    | 135.3 | -68.7  | 4030.1 | 500.0 |
| MC.12 | 2.106  | 1.0          | 32.7       | 29.4        |           |            |           |    | 5.8   |    | 5.8   | 23.6   | 4053.7 | 502.1 |
| NO.26 | 17.894 | 5.7          | 183.0      | 164.7       |           |            |           |    | 22.4  |    | 22.4  | 142.3  | 4196.0 | 520.0 |
| EC.12 | 10.647 | 0.9          | 27.9       | 25.1        |           |            |           |    | 0.5   |    | 0.5   | 24.6   | 4220.6 | 530.6 |
| NO.27 | 9.353  | 1.8          | 56.6       | 50.9        |           |            |           |    | 0.0   |    | 0.0   | 50.9   | 4271.5 | 540.0 |
| BC.13 | 14.387 | 4.8          | 154.5      | 139.1       |           |            |           |    | 0.0   |    | 0.0   | 139.1  | 4410.6 | 554.4 |
| NO.28 | 5.613  | 1.9          | 61.4       | 55.3        |           |            |           |    | 0.0   |    | 0.0   | 55.3   | 4465.9 | 560.0 |
| MC.13 | 4.269  | 1.8          | 56.6       | 50.9        |           |            |           |    | 0.0   |    | 0.0   | 50.9   | 4516.8 | 564.3 |
| EC.13 | 9.882  | 3.0          | 95.9       | 86.3        |           |            |           |    | 4.1   |    | 4.1   | 82.2   | 4599.0 | 574.2 |
| NO.29 | 5.849  | 0.7          | 23.6       | 21.2        |           |            |           |    | 9.9   |    | 9.9   | 11.3   | 4610.3 | 580.0 |
| BC.14 | 2.373  | 0.1          | 4.2        | 3.8         |           |            |           |    | 8.0   |    | 3.8   | -4.2   | 4606.1 | 582.4 |
| MC.14 | 9.904  | 0.3          | 8.7        | 7.8         |           |            |           |    | 62.3  |    | 7.8   | -54.5  | 4551.6 | 592.3 |
| NO.30 | 7.723  | 0.0          | 0.0        | 0.0         |           |            |           |    | 66.5  |    | 0.0   | -66.5  | 4485.1 | 600.0 |
| EC.14 | 2.182  | 0.0          | 0.0        | 0.0         |           |            |           |    | 17.5  |    | 0.0   | -17.5  | 4467.6 | 602.2 |
| BC.15 | 6.338  | 0.3          | 10.1       | 9.1         |           |            |           |    | 32.7  |    | 9.1   | -23.6  | 4444.0 | 608.5 |
| NO.31 | 11.48  | 3.5          | 113.9      | 102.5       |           |            |           |    | 8.6   |    | 8.6   | 93.9   | 4537.9 | 620.0 |
| EC.15 | 9.748  | 4.5          | 145.4      | 130.9       |           |            |           |    | 0.5   |    | 0.5   | 130.4  | 4668.3 | 629.7 |
| BC.16 | 5.063  | 2.0          | 65.6       | 59.0        |           |            |           |    | 0.8   |    | 0.8   | 58.2   | 4726.5 | 634.8 |
| NO.32 | 5.189  | 1.5          | 47.7       | 42.9        |           |            |           |    | 2.3   |    | 2.3   | 40.6   | 4767.1 | 640.0 |
| MC.16 | 9.266  | 0.9          | 28.9       | 26.0        |           |            |           |    | 31.7  |    | 26.0  | -5.7   | 4761.4 | 649.3 |
| NO.33 | 10.734 | 1.3          | 43.3       | 39.0        |           |            |           |    | 36.3  |    | 36.3  | 2.7    | 4764.1 | 660.0 |
| EC.16 | 3.721  | 0.9          | 28.8       | 25.9        |           |            |           |    | 2.6   |    | 2.6   | 23.3   | 4787.4 | 663.7 |
| BC.17 | 13.841 | 3.4          | 110.9      | 99.8        |           |            |           |    | 5.5   |    | 5.5   | 94.3   | 4881.7 | 677.6 |
| NO.34 | 2.438  | 0.5          | 15.5       | 14.0        |           |            |           |    | 0.0   |    | 0.0   | 14.0   | 4895.7 | 680.0 |
| MC.17 | 9.63   | 0.9          | 29.6       | 26.6        |           |            |           |    | 3.5   |    | 3.5   | 23.1   | 4918.8 | 689.6 |
| NO.35 | 10.37  | 0.2          | 7.8        | 7.0         |           |            |           |    | 27.6  |    | 7.0   | -20.6  | 4898.2 | 700.0 |

### 土量流用計算書(累加土量計算書)

| 測点       | 点間距離   | 土砂切取数量       |            |             | 盛土数量      |            |           | 埋土     | 路体   | 土場      | 横断流用土  | 運搬土量  | 累加土量 | 追加距離 |
|----------|--------|--------------|------------|-------------|-----------|------------|-----------|--------|------|---------|--------|-------|------|------|
|          |        | 飛散土量<br>0.03 | 盛土可能<br>土量 | 補正土量<br>0.9 | 飛散土量<br>- | 盛土可能<br>土量 | 補正土量<br>- |        |      |         |        |       |      |      |
| EC.17    | 1.699  | 0.0          | 0.3        | 0.3         |           |            |           | 8.0    | 0.3  | -7.7    | 4890.5 | 701.7 |      |      |
| NO.35+10 | 8.301  | 0.0          | 0.4        | 0.4         |           |            |           | 144.8  | 0.4  | -144.4  | 4746.1 | 710.0 |      |      |
| NO.36    | 10     | 0.0          | 0.0        | 0.0         |           |            |           | 247.0  | 0.0  | -247.0  | 4499.1 | 720.0 |      |      |
| MC.18    | 15.915 | 0.0          | 0.0        | 0.0         |           |            |           | 216.5  | 0.0  | -216.5  | 4282.6 | 735.9 |      |      |
| NO.37    | 4.085  | 0.0          | 0.0        | 0.0         |           |            |           | 55.4   | 0.0  | -55.4   | 4227.2 | 740.0 |      |      |
| EC.18    | 12.28  | 0.0          | 0.0        | 0.0         |           |            |           | 227.8  | 0.0  | -227.8  | 3999.4 | 752.3 |      |      |
| NO.38    | 7.72   | 0.0          | 0.0        | 0.0         |           |            |           | 105.0  | 0.0  | -105.0  | 3894.4 | 760.0 |      |      |
| NO.39    | 20     | 8.5          | 273.5      | 246.2       |           |            |           | 91.0   | 91.0 | 155.2   | 4049.6 | 780.0 |      |      |
| NO.40    | 20     | 8.7          | 280.3      | 252.3       |           |            |           | 30.0   | 30.0 | 222.3   | 4271.9 | 800.0 |      |      |
| NO.41    | 20     | 2.6          | 82.4       | 74.2        |           |            |           | 30.0   | 30.0 | 44.2    | 4316.1 | 820.0 |      |      |
| BC.19    | 6.885  | 1.8          | 58.7       | 52.8        |           |            |           | 0.0    | 0.0  | 52.8    | 4368.9 | 826.9 |      |      |
| MC.19    | 6.201  | 1.6          | 52.7       | 47.4        |           |            |           | 5.2    | 5.2  | 42.2    | 4411.1 | 833.1 |      |      |
| NO.42    | 6.914  | 1.4          | 46.6       | 41.9        |           |            |           | 30.4   | 30.4 | 11.5    | 4422.6 | 840.0 |      |      |
| NO.43    | 20     | 1.8          | 59.8       | 53.8        |           |            |           | 1719.7 | 53.8 | -1665.9 | 2756.7 | 860.0 |      |      |
| MC.20    | 12.892 | 0.0          | 0.0        | 0.0         |           |            |           | 1950.5 | 0.0  | -1950.5 | 806.2  | 872.9 |      |      |
| NO.44    | 7.108  | 0.0          | 0.0        | 0.0         |           |            |           | 777.7  | 0.0  | -777.7  | 28.5   | 880.0 |      |      |
| EC.20    | 5.556  | 0.0          | 0.0        | 0.0         |           |            |           | 374.0  | 0.0  | -374.0  | -345.5 | 885.6 |      |      |
| NO.45    | 14.444 | 0.5          | 15.4       | 13.9        |           |            |           | 505.4  | 13.9 | -491.5  | -837.0 | 900.0 |      |      |
| BC.21    | 4.836  | 0.8          | 25.9       | 23.3        |           |            |           | 3.9    | 3.9  | 19.4    | -817.6 | 904.8 |      |      |
| MC.21    | 10.418 | 3.3          | 106.3      | 95.7        |           |            |           | 0.0    | 0.0  | 95.7    | -721.9 | 915.3 |      |      |
| NO.46    | 4.746  | 1.9          | 61.1       | 55.0        |           |            |           | 0.0    | 0.0  | 55.0    | -666.9 | 920.0 |      |      |
| EC.21    | 5.673  | 2.0          | 63.7       | 57.3        |           |            |           | 0.0    | 0.0  | 57.3    | -609.6 | 925.7 |      |      |
| NO.47    | 14.327 | 4.9          | 158.5      | 142.7       |           |            |           | 1.4    | 1.4  | 141.3   | -468.3 | 940.0 |      |      |
| BC.22    | 5.121  | 1.2          | 39.5       | 35.6        |           |            |           | 1.0    | 1.0  | 34.6    | -433.7 | 945.1 |      |      |
| NO.48    | 14.879 | 1.9          | 60.6       | 54.5        |           |            |           | 23.1   | 23.1 | 31.4    | -402.3 | 960.0 |      |      |
| EC.22    | 13.131 | 0.0          | 0.7        | 0.6         |           |            |           | 39.4   | 0.6  | -38.8   | -441.1 | 973.1 |      |      |
| NO.49    | 6.869  | 0.0          | 0.0        | 0.0         |           |            |           | 44.0   | 0.0  | -44.0   | -485.1 | 980.0 |      |      |

### 土量流用計算書(累加土量計算書)

| 測点       | 点間距離 | 土砂切取数量       |         |             | 盛土数量      |        |           | 埋土  | 路体      | 土場  | 横断流用土   | 運搬土量   | 累加土量   | 追加距離   |
|----------|------|--------------|---------|-------------|-----------|--------|-----------|-----|---------|-----|---------|--------|--------|--------|
|          |      | 飛散土量<br>0.03 | 盛土可能土量  | 補正土量<br>0.9 | 飛散土量<br>- | 盛土可能土量 | 補正土量<br>- |     |         |     |         |        |        |        |
| NO.49+10 | 10   | 0.0          | 0.0     | 0.0         |           |        |           |     | 136.0   |     | 0.0     | -136.0 | -621.1 | 990.0  |
| NO.50    | 10   | 0.1          | 3.4     | 3.1         |           |        |           |     | 125.5   |     | 3.1     | -122.4 | -743.5 | 1000.0 |
| 合計       | 1000 | 259.9        | 8,400.1 | 7,560.2     | 0.0       | 0.0    | 0.0       | 0.0 | 8,303.7 | 0.0 | 1,017.5 | -743.5 |        |        |

▲743.5m<sup>3</sup>はNo43付近で調整



## 林道土工

## 数量計算書

| 測点番号   | 距離     | 補正距離  | 掘削 (土砂)        |                |                | 摘 要  |        |      |       |
|--------|--------|-------|----------------|----------------|----------------|------|--------|------|-------|
|        |        |       | 断面積            | 平均断面積          | 立 積            | 偏心距離 | 平均偏心距離 | 平均半径 | 補正乗数  |
|        | m      | m     | m <sup>2</sup> | m <sup>2</sup> | m <sup>3</sup> | m    | m      | m    |       |
| NO. 0  | 0.000  |       | 0.2            |                |                |      |        |      |       |
| NO. 1  | 20.000 | 20.00 | 8.9            | 4.55           | 91.0           |      | 0.00   |      | 1.000 |
| NO. 2  | 20.000 | 20.00 | 15.1           | 12.00          | 240.0          |      | 0.00   |      | 1.000 |
| BC. 1  | 7.957  | 7.96  | 25.4           | 20.25          | 161.2          |      | 0.00   |      | 1.000 |
| MC. 1  | 10.283 | 10.28 | 19.4           | 22.40          | 230.3          |      | 0.00   |      | 1.000 |
| NO. 3  | 1.760  | 1.76  | 21.3           | 20.35          | 35.8           |      | 0.00   |      | 1.000 |
| EC. 1  | 8.524  | 8.52  | 32.6           | 26.95          | 229.6          |      | 0.00   |      | 1.000 |
| BC. 2  | 1.951  | 2.18  | 32.4           | 32.50          | 70.9           | 2.8  | 1.40   | 12   | 1.117 |
| NO. 4  | 9.525  | 11.23 | 0.1            | 16.25          | 182.5          | 1.5  | 2.15   | 12   | 1.179 |
| MC. 2  | 2.562  | 2.71  | 1.2            | 0.65           | 1.8            | -0.1 | 0.70   | 12   | 1.058 |
| EC. 2  | 12.088 | 12.79 | 60.5           | 30.85          | 394.6          | 1.5  | 0.70   | 12   | 1.058 |
| BC. 3  | 2.426  | 2.42  | 56.4           | 58.45          | 141.4          | -1.6 | -0.05  | 15   | 0.997 |
| NO. 5  | 2.924  | 2.59  | 41.3           | 48.85          | 126.5          | -1.8 | -1.70  | 15   | 0.887 |
| MC. 3  | 5.723  | 4.94  | 19.8           | 30.55          | 150.9          | -2.3 | -2.05  | 15   | 0.863 |
| EC. 3  | 8.647  | 7.24  | 5.5            | 12.65          | 91.6           | -2.6 | -2.45  | 15   | 0.837 |
| NO. 6  | 5.630  | 5.63  | 1.2            | 3.35           | 18.9           |      | -1.30  |      | 1.000 |
| NO. 7  | 20.000 | 20.00 | 15.7           | 8.45           | 169.0          |      | 0.00   |      | 1.000 |
| BC. 4  | 12.433 | 12.43 | 24.4           | 20.05          | 249.2          |      | 0.00   |      | 1.000 |
| NO. 8  | 7.567  | 7.57  | 14.6           | 19.50          | 147.6          |      | 0.00   |      | 1.000 |
| EC. 4  | 8.485  | 8.49  | 39.4           | 27.00          | 229.2          |      | 0.00   |      | 1.000 |
| NO. 9  | 11.515 | 11.52 | 21.6           | 30.50          | 351.4          |      | 0.00   |      | 1.000 |
| NO. 10 | 20.000 | 20.00 | 19.7           | 20.65          | 413.0          |      | 0.00   |      | 1.000 |
| BC. 5  | 5.701  | 5.70  | 21.3           | 20.50          | 116.9          |      | 0.00   |      | 1.000 |
| NO. 11 | 14.299 | 14.30 | 26.4           | 23.85          | 341.1          |      | 0.00   |      | 1.000 |
| EC. 5  | 14.129 | 14.13 | 3.1            | 14.75          | 208.4          |      | 0.00   |      | 1.000 |
| NO. 12 | 5.871  | 5.87  | 0.0            | 1.55           | 9.1            |      | 0.00   |      | 1.000 |
| BC. 6  | 10.494 | 10.49 | 0.7            | 0.35           | 3.7            |      | 0.00   |      | 1.000 |
| MC. 6  | 5.785  | 5.79  | 0.0            | 0.35           | 2.0            |      | 0.00   |      | 1.000 |
| NO. 13 | 3.721  | 3.72  | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| EC. 6  | 2.066  | 2.07  | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| BC. 7  | 11.880 | 11.88 | 0.6            | 0.30           | 3.6            |      | 0.00   |      | 1.000 |
| NO. 14 | 6.054  | 6.05  | 0.1            | 0.35           | 2.1            |      | 0.00   |      | 1.000 |
| MC. 7  | 15.407 | 15.41 | 0.2            | 0.15           | 2.3            |      | 0.00   |      | 1.000 |
| NO. 15 | 4.593  | 4.59  | 0.0            | 0.10           | 0.5            |      | 0.00   |      | 1.000 |
| EC. 7  | 16.869 | 16.87 | 0.1            | 0.05           | 0.8            |      | 0.00   |      | 1.000 |
| NO. 16 | 3.131  | 3.13  | 0.0            | 0.05           | 0.2            |      | 0.00   |      | 1.000 |
| BC. 8  | 4.513  | 4.51  | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |

| 測点番号   | 距離     | 補正距離  | 掘削 (土砂)        |                |                | 摘 要  |        |      |       |
|--------|--------|-------|----------------|----------------|----------------|------|--------|------|-------|
|        |        |       | 断面積            | 平均断面積          | 立 積            | 偏心距離 | 平均偏心距離 | 平均半径 | 補正乗数  |
|        | m      | m     | m <sup>2</sup> | m <sup>2</sup> | m <sup>3</sup> | m    | m      | m    |       |
| MC. 8  | 13.187 | 13.19 | 2.1            | 1.05           | 13.8           |      | 0.00   |      | 1.000 |
| NO. 17 | 2.300  | 2.30  | 1.2            | 1.65           | 3.8            |      | 0.00   |      | 1.000 |
| EC. 8  | 10.884 | 10.88 | 6.9            | 4.05           | 44.1           |      | 0.00   |      | 1.000 |
| NO. 18 | 9.116  | 9.01  | 8.4            | 7.65           | 68.9           | -0.3 | -0.15  | 13   | 0.988 |
| MC. 9  | 15.793 | 15.30 | 7.5            | 7.95           | 121.6          | -0.5 | -0.40  | 13   | 0.969 |
| NO. 19 | 4.207  | 4.01  | 6.2            | 6.85           | 27.5           | -0.7 | -0.60  | 13   | 0.954 |
| ECBC10 | 11.836 | 11.02 | 4.5            | 5.35           | 59.0           | -1.1 | -0.90  | 13   | 0.931 |
| MC. 10 | 6.483  | 6.21  | 0.0            | 2.25           | 14.0           | 0.0  | -0.55  | 13   | 0.958 |
| NO. 20 | 1.681  | 1.68  | 0.0            | 0.00           | 0.0            | 0.0  | 0.00   | 13   | 1.000 |
| EC. 10 | 4.799  | 5.11  | 0.3            | 0.15           | 0.8            | 1.7  | 0.85   | 13   | 1.065 |
| NO. 21 | 15.201 | 15.20 | 10.6           | 5.45           | 82.8           |      | 0.85   |      | 1.000 |
| NO. 22 | 20.000 | 20.00 | 12.1           | 11.35          | 227.0          |      | 0.00   |      | 1.000 |
| BC. 11 | 2.575  | 2.58  | 18.7           | 15.40          | 39.7           |      | 0.00   |      | 1.000 |
| MC. 11 | 15.335 | 15.34 | 28.6           | 23.65          | 362.8          |      | 0.00   |      | 1.000 |
| NO. 23 | 2.090  | 2.09  | 21.5           | 25.05          | 52.4           |      | 0.00   |      | 1.000 |
| EC. 11 | 13.246 | 13.25 | 0.0            | 10.75          | 142.4          |      | 0.00   |      | 1.000 |
| NO. 24 | 6.754  | 6.75  | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| NO. 25 | 20.000 | 20.00 | 15.5           | 7.75           | 155.0          |      | 0.00   |      | 1.000 |
| MC. 12 | 2.106  | 2.11  | 16.4           | 15.95          | 33.7           |      | 0.00   |      | 1.000 |
| NO. 26 | 17.894 | 17.89 | 4.7            | 10.55          | 188.7          |      | 0.00   |      | 1.000 |
| EC. 12 | 10.647 | 10.65 | 0.7            | 2.70           | 28.8           |      | 0.00   |      | 1.000 |
| NO. 27 | 9.353  | 9.35  | 11.8           | 6.25           | 58.4           |      | 0.00   |      | 1.000 |
| BC. 13 | 14.387 | 12.95 | 12.8           | 12.30          | 159.3          | -3.2 | -1.60  | 16   | 0.900 |
| NO. 28 | 5.613  | 4.54  | 15.1           | 13.95          | 63.3           | -2.9 | -3.05  | 16   | 0.809 |
| MC. 13 | 4.269  | 3.58  | 17.5           | 16.30          | 58.4           | -2.3 | -2.60  | 16   | 0.838 |
| EC. 13 | 9.882  | 8.21  | 6.6            | 12.05          | 98.9           | -3.1 | -2.70  | 16   | 0.831 |
| NO. 29 | 5.849  | 5.85  | 1.7            | 4.15           | 24.3           |      | -1.55  |      | 1.000 |
| BC. 14 | 2.373  | 2.53  | 1.7            | 1.70           | 4.3            | 2.6  | 1.30   | 19   | 1.068 |
| MC. 14 | 9.904  | 10.58 | 0.0            | 0.85           | 9.0            | 0.0  | 1.30   | 19   | 1.068 |
| NO. 30 | 7.723  | 7.72  | 0.0            | 0.00           | 0.0            | 0.0  | 0.00   | 19   | 1.000 |
| EC. 14 | 2.182  | 2.18  | 0.0            | 0.00           | 0.0            | 0.0  | 0.00   | 19   | 1.000 |
| BC. 15 | 6.338  | 5.63  | 3.7            | 1.85           | 10.4           | -2.9 | -1.45  | 13   | 0.888 |
| NO. 31 | 11.480 | 9.62  | 20.7           | 12.20          | 117.4          | -1.3 | -2.10  | 13   | 0.838 |
| EC. 15 | 9.748  | 8.40  | 15.0           | 17.85          | 149.9          | -2.3 | -1.80  | 13   | 0.862 |
| BC. 16 | 5.063  | 5.06  | 11.7           | 13.35          | 67.6           | 2.3  | 0.00   | 19   | 1.000 |
| NO. 32 | 5.189  | 5.86  | 5.1            | 8.40           | 49.2           | 2.6  | 2.45   | 19   | 1.129 |
| MC. 16 | 9.266  | 10.29 | 0.7            | 2.90           | 29.8           | 1.6  | 2.10   | 19   | 1.111 |

| 測点番号      | 距離      | 補正距離  | 掘削 (土砂)        |                |                | 摘 要  |        |      |       |
|-----------|---------|-------|----------------|----------------|----------------|------|--------|------|-------|
|           |         |       | 断面積            | 平均断面積          | 立 積            | 偏心距離 | 平均偏心距離 | 平均半径 | 補正乗数  |
|           | m       | m     | m <sup>2</sup> | m <sup>2</sup> | m <sup>3</sup> | m    | m      | m    |       |
| NO. 33    | 10.734  | 11.89 | 6.8            | 3.75           | 44.6           | 2.5  | 2.05   | 19   | 1.108 |
| EC. 16    | 3.721   | 4.18  | 7.4            | 7.10           | 29.7           | 2.2  | 2.35   | 19   | 1.124 |
| BC. 17    | 13.841  | 14.02 | 8.9            | 8.15           | 114.3          | -1.7 | 0.25   | 19   | 1.013 |
| NO. 34    | 2.438   | 2.18  | 5.8            | 7.35           | 16.0           | -2.3 | -2.00  | 19   | 0.895 |
| MC. 17    | 9.630   | 8.36  | 1.5            | 3.65           | 30.5           | -2.7 | -2.50  | 19   | 0.868 |
| NO. 35    | 10.370  | 8.85  | 0.3            | 0.90           | 8.0            | -2.9 | -2.80  | 19   | 0.853 |
| EC. 17    | 1.699   | 1.44  | 0.1            | 0.20           | 0.3            | -3.0 | -2.95  | 19   | 0.845 |
| NO. 35+10 | 8.301   | 8.30  | 0.0            | 0.05           | 0.4            |      | -1.50  |      | 1.000 |
| NO. 36    | 10.000  | 10.00 | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| MC. 18    | 15.915  | 15.92 | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| NO. 37    | 4.085   | 4.09  | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| EC. 18    | 12.280  | 12.28 | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| NO. 38    | 7.720   | 7.72  | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| NO. 39    | 20.000  | 20.00 | 28.2           | 14.10          | 282.0          |      | 0.00   |      | 1.000 |
| NO. 40    | 20.000  | 20.00 | 0.7            | 14.45          | 289.0          |      | 0.00   |      | 1.000 |
| NO. 41    | 20.000  | 20.00 | 7.8            | 4.25           | 85.0           |      | 0.00   |      | 1.000 |
| BC. 19    | 6.885   | 5.85  | 12.9           | 10.35          | 60.5           | -3.9 | -1.95  | 13   | 0.850 |
| MC. 19    | 6.201   | 4.43  | 11.6           | 12.25          | 54.3           | -3.5 | -3.70  | 13   | 0.715 |
| NO. 42    | 6.914   | 5.13  | 7.1            | 9.35           | 48.0           | -3.2 | -3.35  | 13   | 0.742 |
| NO. 43    | 20.000  | 17.34 | 0.0            | 3.55           | 61.6           | 0    | -1.60  | 12   | 0.867 |
| MC. 20    | 12.892  | 12.89 | 0.0            | 0.00           | 0.0            | 0    | 0.00   | 12   | 1.000 |
| NO. 44    | 7.108   | 7.11  | 0.0            | 0.00           | 0.0            | 0    | 0.00   | 12   | 1.000 |
| EC. 20    | 5.556   | 5.56  | 0.0            | 0.00           | 0.0            | 0    | 0.00   | 12   | 1.000 |
| NO. 45    | 14.444  | 14.44 | 2.2            | 1.10           | 15.9           |      | 0.00   |      | 1.000 |
| BC. 21    | 4.836   | 4.17  | 10.6           | 6.40           | 26.7           | -3.3 | -1.65  | 12   | 0.863 |
| MC. 21    | 10.418  | 7.86  | 17.3           | 13.95          | 109.6          | -2.6 | -2.95  | 12   | 0.754 |
| NO. 46    | 4.746   | 3.58  | 17.9           | 17.60          | 63.0           | -3.3 | -2.95  | 12   | 0.754 |
| EC. 21    | 5.673   | 3.97  | 15.2           | 16.55          | 65.7           | -3.9 | -3.60  | 12   | 0.700 |
| NO. 47    | 14.327  | 14.33 | 7.6            | 11.40          | 163.4          |      | -1.95  |      | 1.000 |
| BC. 22    | 5.121   | 5.12  | 8.3            | 7.95           | 40.7           |      | 0.00   |      | 1.000 |
| NO. 48    | 14.879  | 14.88 | 0.1            | 4.20           | 62.5           |      | 0.00   |      | 1.000 |
| EC. 22    | 13.131  | 13.13 | 0.0            | 0.05           | 0.7            |      | 0.00   |      | 1.000 |
| NO. 49    | 6.869   | 6.87  | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| NO. 49+10 | 10.000  | 10.00 | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| NO. 50    | 10.000  | 10.00 | 0.7            | 0.35           | 3.5            |      | 0.00   |      | 1.000 |
|           |         |       |                |                |                |      |        |      |       |
| 合計        | 1000.00 |       |                |                | 8,660.0        |      |        |      |       |



| 測点番号   | 距離     | 補正距離  | 盛土             |                |                | 摘要   |        |      |       |
|--------|--------|-------|----------------|----------------|----------------|------|--------|------|-------|
|        |        |       | 断面積            | 平均断面積          | 立積             | 偏心距離 | 平均偏心距離 | 平均半径 | 補正乗数  |
|        | m      | m     | m <sup>2</sup> | m <sup>2</sup> | m <sup>3</sup> | m    | m      | m    |       |
| NO. 0  | 0.000  |       | 0.5            |                |                |      |        |      |       |
| NO. 1  | 20.000 | 20.00 | 0.0            | 0.25           | 5.0            |      | 0.00   |      | 1.000 |
| NO. 2  | 20.000 | 20.00 | 0.1            | 0.05           | 1.0            |      | 0.00   |      | 1.000 |
| BC. 1  | 7.957  | 7.96  | 0.0            | 0.05           | 0.4            |      | 0.00   |      | 1.000 |
| MC. 1  | 10.283 | 10.28 | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| NO. 3  | 1.760  | 1.76  | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| EC. 1  | 8.524  | 8.52  | 0.1            | 0.05           | 0.4            |      | 0.00   |      | 1.000 |
| BC. 2  | 1.951  | 1.63  | 0.4            | 0.25           | 0.4            | -4.0 | -2.00  | 12   | 0.833 |
| NO. 4  | 9.525  | 6.94  | 1.6            | 1.00           | 6.9            | -2.5 | -3.25  | 12   | 0.729 |
| MC. 2  | 2.562  | 2.29  | 0.1            | 0.85           | 1.9            | -0.1 | -1.30  | 12   | 0.892 |
| EC. 2  | 12.088 | 12.04 | 0.0            | 0.05           | 0.6            | 0.0  | -0.05  | 12   | 0.996 |
| BC. 3  | 2.426  | 2.43  | 0.0            | 0.00           | 0.0            | 0.0  | 0.00   | 15   | 1.000 |
| NO. 5  | 2.924  | 2.92  | 0.0            | 0.00           | 0.0            | 0.0  | 0.00   | 15   | 1.000 |
| MC. 3  | 5.723  | 5.72  | 0.0            | 0.00           | 0.0            | 0.0  | 0.00   | 15   | 1.000 |
| EC. 3  | 8.647  | 9.88  | 19.9           | 9.95           | 98.3           | 4.3  | 2.15   | 15   | 1.143 |
| NO. 6  | 5.630  | 5.63  | 10.8           | 15.35          | 86.4           |      | 2.15   |      | 1.000 |
| NO. 7  | 20.000 | 20.00 | 0.0            | 5.40           | 108.0          |      | 0.00   |      | 1.000 |
| BC. 4  | 12.433 | 12.43 | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| NO. 8  | 7.567  | 7.57  | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| EC. 4  | 8.485  | 8.49  | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| NO. 9  | 11.515 | 11.52 | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| NO. 10 | 20.000 | 20.00 | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| BC. 5  | 5.701  | 5.70  | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| NO. 11 | 14.299 | 14.30 | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| EC. 5  | 14.129 | 14.13 | 1.0            | 0.50           | 7.1            |      | 0.00   |      | 1.000 |
| NO. 12 | 5.871  | 5.87  | 0.9            | 0.95           | 5.6            |      | 0.00   |      | 1.000 |
| BC. 6  | 10.494 | 10.49 | 1.6            | 1.25           | 13.1           |      | 0.00   |      | 1.000 |
| MC. 6  | 5.785  | 5.79  | 1.4            | 1.50           | 8.7            |      | 0.00   |      | 1.000 |
| NO. 13 | 3.721  | 3.72  | 1.5            | 1.45           | 5.4            |      | 0.00   |      | 1.000 |
| EC. 6  | 2.066  | 2.07  | 1.3            | 1.40           | 2.9            |      | 0.00   |      | 1.000 |
| BC. 7  | 11.880 | 11.88 | 0.5            | 0.90           | 10.7           |      | 0.00   |      | 1.000 |
| NO. 14 | 6.054  | 6.05  | 0.3            | 0.40           | 2.4            |      | 0.00   |      | 1.000 |
| MC. 7  | 15.407 | 15.41 | 0.7            | 0.50           | 7.7            |      | 0.00   |      | 1.000 |
| NO. 15 | 4.593  | 4.59  | 4.7            | 2.70           | 12.4           |      | 0.00   |      | 1.000 |
| EC. 7  | 16.869 | 16.87 | 1.7            | 3.20           | 54.0           |      | 0.00   |      | 1.000 |
| NO. 16 | 3.131  | 3.13  | 2.5            | 2.10           | 6.6            |      | 0.00   |      | 1.000 |
| BC. 8  | 4.513  | 4.51  | 1.5            | 2.00           | 9.0            |      | 0.00   |      | 1.000 |

| 測点番号   | 距離     | 補正距離  | 盛土             |                |                | 摘要   |        |      |       |
|--------|--------|-------|----------------|----------------|----------------|------|--------|------|-------|
|        |        |       | 断面積            | 平均断面積          | 立積             | 偏心距離 | 平均偏心距離 | 平均半径 | 補正乗数  |
|        | m      | m     | m <sup>2</sup> | m <sup>2</sup> | m <sup>3</sup> | m    | m      | m    |       |
| MC. 8  | 13.187 | 13.19 | 0.0            | 0.75           | 9.9            |      | 0.00   |      | 1.000 |
| NO. 17 | 2.300  | 2.30  | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| EC. 8  | 10.884 | 10.88 | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| NO. 18 | 9.116  | 9.12  | 0.0            | 0.00           | 0.0            | 0.0  | 0.00   | 13   | 1.000 |
| MC. 9  | 15.793 | 15.79 | 0.0            | 0.00           | 0.0            | 0.0  | 0.00   | 13   | 1.000 |
| NO. 19 | 4.207  | 4.21  | 0.0            | 0.00           | 0.0            | 0.0  | 0.00   | 13   | 1.000 |
| ECBC10 | 11.836 | 11.84 | 0.0            | 0.00           | 0.0            | 0.0  | 0.00   | 13   | 1.000 |
| MC. 10 | 6.483  | 5.71  | 5.6            | 2.80           | 16.0           | -3.1 | -1.55  | 13   | 0.881 |
| NO. 20 | 1.681  | 1.34  | 9.9            | 7.75           | 10.4           | -2.1 | -2.60  | 13   | 0.800 |
| EC. 10 | 4.799  | 3.73  | 15.0           | 12.45          | 46.4           | -3.7 | -2.90  | 13   | 0.777 |
| NO. 21 | 15.201 | 15.20 | 1.3            | 8.15           | 123.9          |      | -1.85  |      | 1.000 |
| NO. 22 | 20.000 | 20.00 | 0.0            | 0.65           | 13.0           |      | 0.00   |      | 1.000 |
| BC. 11 | 2.575  | 2.58  | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| MC. 11 | 15.335 | 15.34 | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| NO. 23 | 2.090  | 2.09  | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| EC. 11 | 13.246 | 13.25 | 12.5           | 6.25           | 82.8           |      | 0.00   |      | 1.000 |
| NO. 24 | 6.754  | 6.75  | 17.3           | 14.90          | 100.6          |      | 0.00   |      | 1.000 |
| NO. 25 | 20.000 | 20.00 | 3.1            | 10.20          | 204.0          |      | 0.00   |      | 1.000 |
| MC. 12 | 2.106  | 2.11  | 2.4            | 2.75           | 5.8            |      | 0.00   |      | 1.000 |
| NO. 26 | 17.894 | 17.89 | 0.1            | 1.25           | 22.4           |      | 0.00   |      | 1.000 |
| EC. 12 | 10.647 | 10.65 | 0.0            | 0.05           | 0.5            |      | 0.00   |      | 1.000 |
| NO. 27 | 9.353  | 9.35  | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| BC. 13 | 14.387 | 14.39 | 0.0            | 0.00           | 0.0            | 0.0  | 0.00   | 16   | 1.000 |
| NO. 28 | 5.613  | 5.61  | 0.0            | 0.00           | 0.0            | 0.0  | 0.00   | 16   | 1.000 |
| MC. 13 | 4.269  | 4.27  | 0.0            | 0.00           | 0.0            | 0.0  | 0.00   | 16   | 1.000 |
| EC. 13 | 9.882  | 10.19 | 0.8            | 0.40           | 4.1            | 1.0  | 0.50   | 16   | 1.031 |
| NO. 29 | 5.849  | 5.85  | 2.6            | 1.70           | 9.9            |      | 0.50   |      | 1.000 |
| BC. 14 | 2.373  | 2.24  | 4.5            | 3.55           | 8.0            | -2.1 | -1.05  | 19   | 0.945 |
| MC. 14 | 9.904  | 8.71  | 9.8            | 7.15           | 62.3           | -2.5 | -2.30  | 19   | 0.879 |
| NO. 30 | 7.723  | 6.65  | 10.2           | 10.00          | 66.5           | -2.8 | -2.65  | 19   | 0.861 |
| EC. 14 | 2.182  | 1.85  | 8.7            | 9.45           | 17.5           | -3.0 | -2.90  | 19   | 0.847 |
| BC. 15 | 6.338  | 6.53  | 1.3            | 5.00           | 32.7           | 3.8  | 0.40   | 13   | 1.031 |
| NO. 31 | 11.480 | 13.16 | 0.0            | 0.65           | 8.6            | 0.0  | 1.90   | 13   | 1.146 |
| EC. 15 | 9.748  | 10.76 | 0.1            | 0.05           | 0.5            | 2.7  | 1.35   | 13   | 1.104 |
| BC. 16 | 5.063  | 5.12  | 0.2            | 0.15           | 0.8            | -2.3 | 0.20   | 19   | 1.011 |
| NO. 32 | 5.189  | 4.52  | 0.8            | 0.50           | 2.3            | -2.6 | -2.45  | 19   | 0.871 |
| MC. 16 | 9.266  | 7.46  | 7.7            | 4.25           | 31.7           | -4.8 | -3.70  | 19   | 0.805 |

| 測点番号      | 距離      | 補正距離  | 盛土             |                |                | 摘要          |        |      |       |
|-----------|---------|-------|----------------|----------------|----------------|-------------|--------|------|-------|
|           |         |       | 断面積            | 平均断面積          | 立積             | 偏心距離        | 平均偏心距離 | 平均半径 | 補正乗数  |
|           | m       | m     | m <sup>2</sup> | m <sup>2</sup> | m <sup>3</sup> | m           | m      | m    |       |
| NO. 33    | 10.734  | 8.45  | 0.9            | 4.30           | 36.3           | -3.3        | -4.05  | 19   | 0.787 |
| EC. 16    | 3.721   | 2.94  | 0.9            | 0.90           | 2.6            | -4.7        | -4.00  | 19   | 0.789 |
| BC. 17    | 13.841  | 12.12 | 0.0            | 0.45           | 5.5            | 0.0         | -2.35  | 19   | 0.876 |
| NO. 34    | 2.438   | 2.44  | 0.0            | 0.00           | 0.0            | 0.0         | 0.00   | 19   | 1.000 |
| MC. 17    | 9.630   | 10.08 | 0.7            | 0.35           | 3.5            | 1.8         | 0.90   | 19   | 1.047 |
| NO. 35    | 10.370  | 11.02 | 4.3            | 2.50           | 27.6           | 0.6         | 1.20   | 19   | 1.063 |
| EC. 17    | 1.699   | 1.79  | 4.6            | 4.45           | 8.0            | 1.4         | 1.00   | 19   | 1.053 |
| NO. 35+10 | 8.301   | 8.30  | 30.3           | 17.45          | 144.8          |             | 0.70   |      | 1.000 |
| NO. 36    | 10.000  | 10.00 | 19.1           | 24.70          | 247.0          |             | 0.00   |      | 1.000 |
| MC. 18    | 15.915  | 15.92 | 8.1            | 13.60          | 216.5          |             | 0.00   |      | 1.000 |
| NO. 37    | 4.085   | 4.09  | 19.0           | 13.55          | 55.4           |             | 0.00   |      | 1.000 |
| EC. 18    | 12.280  | 12.28 | 18.1           | 18.55          | 227.8          |             | 0.00   |      | 1.000 |
| NO. 38    | 7.720   | 7.72  | 9.1            | 13.60          | 105.0          |             | 0.00   |      | 1.000 |
| NO. 39    | 20.000  | 20.00 | 0.0            | 4.55           | 91.0           |             | 0.00   |      | 1.000 |
| NO. 40    | 20.000  | 20.00 | 3.0            | 1.50           | 30.0           |             | 0.00   |      | 1.000 |
| NO. 41    | 20.000  | 20.00 | 0.0            | 1.50           | 30.0           |             | 0.00   |      | 1.000 |
| BC. 19    | 6.885   | 6.89  | 0.0            | 0.00           | 0.0            | 0           | 0.00   | 13   | 1.000 |
| MC. 19    | 6.201   | 6.46  | 1.6            | 0.80           | 5.2            | 1.1         | 0.55   | 13   | 1.042 |
| NO. 42    | 6.914   | 7.79  | 6.2            | 3.90           | 30.4           | 2.2         | 1.65   | 13   | 1.127 |
| NO. 43    | 20.000  | 25.42 | 129.1          | 67.65          | 1719.7         | 4.3         | 3.25   | 12   | 1.271 |
| MC. 20    | 12.892  | 14.18 | 146.0          | 137.55         | 1950.5         | -1.9        | 1.20   | 12   | 1.100 |
| NO. 44    | 7.108   | 5.71  | 126.4          | 136.20         | 777.7          | -2.8        | -2.35  | 12   | 0.804 |
| EC. 20    | 5.556   | 3.84  | 68.4           | 97.40          | 374.0          | -4.6        | -3.70  | 12   | 0.692 |
| NO. 45    | 14.444  | 14.44 | 1.6            | 35.00          | 505.4          |             | -2.30  |      | 1.000 |
| BC. 21    | 4.836   | 4.84  | 0.0            | 0.80           | 3.9            | 0           | 0.00   | 12   | 1.000 |
| MC. 21    | 10.418  | 10.42 | 0.0            | 0.00           | 0.0            | 0           | 0.00   | 12   | 1.000 |
| NO. 46    | 4.746   | 4.75  | 0.0            | 0.00           | 0.0            | 0           | 0.00   | 12   | 1.000 |
| EC. 21    | 5.673   | 5.67  | 0.0            | 0.00           | 0.0            | 0           | 0.00   | 12   | 1.000 |
| NO. 47    | 14.327  | 14.33 | 0.2            | 0.10           | 1.4            |             | 0.00   |      | 1.000 |
| BC. 22    | 5.121   | 5.12  | 0.2            | 0.20           | 1.0            |             | 0.00   |      | 1.000 |
| NO. 48    | 14.879  | 14.88 | 2.9            | 1.55           | 23.1           |             | 0.00   |      | 1.000 |
| EC. 22    | 13.131  | 13.13 | 3.1            | 3.00           | 39.4           |             | 0.00   |      | 1.000 |
| NO. 49    | 6.869   | 6.87  | 9.7            | 6.40           | 44.0           |             | 0.00   |      | 1.000 |
| NO. 49+10 | 10.000  | 10.00 | 17.5           | 13.60          | 136.0          |             | 0.00   |      | 1.000 |
| NO. 50    | 10.000  | 10.00 | 7.6            | 12.55          | 125.5          |             | 0.00   |      | 1.000 |
|           |         |       |                |                | -743.5         | No43付近盛土で調整 |        |      |       |
| 合計        | 1000.00 |       |                |                | 7,560.2        |             |        |      |       |



## 路面工

## 数量計算書

| 測点番号   | 距離     | 碎石路面 |      |                | 幅員 | 平均幅員 | 面積             |
|--------|--------|------|------|----------------|----|------|----------------|
|        |        | 幅員   | 平均幅員 | 面積             |    |      |                |
|        | m      | m    | m    | m <sup>2</sup> | m  | m    | m <sup>2</sup> |
| NO. 0  | 0.000  | 3.00 |      |                |    |      |                |
| NO. 1  | 20.000 | 3.00 | 3.00 | 60.0           |    | 0.00 | 0.0            |
| NO. 2  | 20.000 | 3.01 | 3.01 | 60.2           |    | 0.00 | 0.0            |
| BC. 1  | 7.957  | 4.25 | 3.63 | 28.9           |    | 0.00 | 0.0            |
| MC. 1  | 10.283 | 4.25 | 4.25 | 43.7           |    | 0.00 | 0.0            |
| NO. 3  | 1.760  | 4.25 | 4.25 | 7.5            |    | 0.00 | 0.0            |
| EC. 1  | 8.524  | 5.95 | 5.10 | 43.5           |    | 0.00 | 0.0            |
| BC. 2  | 1.951  | 6.20 | 6.08 | 11.9           |    | 0.00 | 0.0            |
| NO. 4  | 9.525  | 5.25 | 5.73 | 54.6           |    | 0.00 | 0.0            |
| MC. 2  | 2.562  | 5.25 | 5.25 | 13.5           |    | 0.00 | 0.0            |
| EC. 2  | 12.088 | 5.86 | 5.56 | 67.2           |    | 0.00 | 0.0            |
| BC. 3  | 2.426  | 5.71 | 5.79 | 14.0           |    | 0.00 | 0.0            |
| NO. 5  | 2.924  | 5.21 | 5.46 | 16.0           |    | 0.00 | 0.0            |
| MC. 3  | 5.723  | 4.75 | 4.98 | 28.5           |    | 0.00 | 0.0            |
| EC. 3  | 8.647  | 4.75 | 4.75 | 41.1           |    | 0.00 | 0.0            |
| NO. 6  | 5.630  | 3.52 | 4.14 | 23.3           |    | 0.00 | 0.0            |
| NO. 7  | 20.000 | 3.00 | 3.26 | 65.2           |    | 0.00 | 0.0            |
| BC. 4  | 12.433 | 3.75 | 3.38 | 42.0           |    | 0.00 | 0.0            |
| NO. 8  | 7.567  | 3.75 | 3.75 | 28.4           |    | 0.00 | 0.0            |
| EC. 4  | 8.485  | 3.75 | 3.75 | 31.8           |    | 0.00 | 0.0            |
| NO. 9  | 11.515 | 3.00 | 3.38 | 38.9           |    | 0.00 | 0.0            |
| NO. 10 | 20.000 | 3.07 | 3.04 | 60.8           |    | 0.00 | 0.0            |
| BC. 5  | 5.701  | 3.25 | 3.16 | 18.0           |    | 0.00 | 0.0            |
| NO. 11 | 14.299 | 3.25 | 3.25 | 46.5           |    | 0.00 | 0.0            |
| EC. 5  | 14.129 | 3.25 | 3.25 | 45.9           |    | 0.00 | 0.0            |
| NO. 12 | 5.871  | 3.07 | 3.16 | 18.6           |    | 0.00 | 0.0            |
| BC. 6  | 10.494 | 3.00 | 3.04 | 31.9           |    | 0.00 | 0.0            |
| MC. 6  | 5.785  | 3.00 | 3.00 | 17.4           |    | 0.00 | 0.0            |
| NO. 13 | 3.721  | 3.00 | 3.00 | 11.2           |    | 0.00 | 0.0            |
| EC. 6  | 2.066  | 3.00 | 3.00 | 6.2            |    | 0.00 | 0.0            |
| BC. 7  | 11.880 | 3.00 | 3.00 | 35.6           |    | 0.00 | 0.0            |
| NO. 14 | 6.054  | 3.00 | 3.00 | 18.2           |    | 0.00 | 0.0            |
| MC. 7  | 15.407 | 3.00 | 3.00 | 46.2           |    | 0.00 | 0.0            |
| NO. 15 | 4.593  | 3.00 | 3.00 | 13.8           |    | 0.00 | 0.0            |
| EC. 7  | 16.869 | 3.03 | 3.02 | 50.9           |    | 0.00 | 0.0            |
| NO. 16 | 3.131  | 3.33 | 3.18 | 10.0           |    | 0.00 | 0.0            |
| BC. 8  | 4.513  | 3.75 | 3.54 | 16.0           |    | 0.00 | 0.0            |

## 路面工

## 数量計算書

| 測点番号   | 距離     | 碎石路面 |      |                | 幅員 | 平均幅員 | 面積             |
|--------|--------|------|------|----------------|----|------|----------------|
|        |        | 幅員   | 平均幅員 | 面積             |    |      |                |
|        | m      | m    | m    | m <sup>2</sup> | m  | m    | m <sup>2</sup> |
| MC. 8  | 13.187 | 3.75 | 3.75 | 49.5           |    | 0.00 | 0.0            |
| NO. 17 | 2.300  | 3.75 | 3.75 | 8.6            |    | 0.00 | 0.0            |
| EC. 8  | 10.884 | 3.75 | 3.75 | 40.8           |    | 0.00 | 0.0            |
| NO. 18 | 9.116  | 5.00 | 4.38 | 39.9           |    | 0.00 | 0.0            |
| MC. 9  | 15.793 | 5.00 | 5.00 | 79.0           |    | 0.00 | 0.0            |
| NO. 19 | 4.207  | 5.00 | 5.00 | 21.0           |    | 0.00 | 0.0            |
| ECBC10 | 11.836 | 5.00 | 5.00 | 59.2           |    | 0.00 | 0.0            |
| MC. 10 | 6.483  | 5.00 | 5.00 | 32.4           |    | 0.00 | 0.0            |
| NO. 20 | 1.681  | 5.00 | 5.00 | 8.4            |    | 0.00 | 0.0            |
| EC. 10 | 4.799  | 5.00 | 5.00 | 24.0           |    | 0.00 | 0.0            |
| NO. 21 | 15.201 | 3.00 | 4.00 | 60.8           |    | 0.00 | 0.0            |
| NO. 22 | 20.000 | 3.00 | 3.00 | 60.0           |    | 0.00 | 0.0            |
| BC. 11 | 2.575  | 3.00 | 3.00 | 7.7            |    | 0.00 | 0.0            |
| MC. 11 | 15.335 | 3.00 | 3.00 | 46.0           |    | 0.00 | 0.0            |
| NO. 23 | 2.090  | 3.00 | 3.00 | 6.3            |    | 0.00 | 0.0            |
| EC. 11 | 13.246 | 3.00 | 3.00 | 39.7           |    | 0.00 | 0.0            |
| NO. 24 | 6.754  | 3.00 | 3.00 | 20.3           |    | 0.00 | 0.0            |
| NO. 25 | 20.000 | 3.00 | 3.00 | 60.0           |    | 0.00 | 0.0            |
| MC. 12 | 2.106  | 3.00 | 3.00 | 6.3            |    | 0.00 | 0.0            |
| NO. 26 | 17.894 | 3.00 | 3.00 | 53.7           |    | 0.00 | 0.0            |
| EC. 12 | 10.647 | 3.00 | 3.00 | 31.9           |    | 0.00 | 0.0            |
| NO. 27 | 9.353  | 3.00 | 3.00 | 28.1           |    | 0.00 | 0.0            |
| BC. 13 | 14.387 | 4.50 | 3.75 | 54.0           |    | 0.00 | 0.0            |
| NO. 28 | 5.613  | 4.50 | 4.50 | 25.3           |    | 0.00 | 0.0            |
| MC. 13 | 4.269  |      | 2.25 | 9.6            |    | 0.00 | 0.0            |
| EC. 13 | 9.882  |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| NO. 29 | 5.849  |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| BC. 14 | 2.373  |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| MC. 14 | 9.904  |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| NO. 30 | 7.723  |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| EC. 14 | 2.182  |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| BC. 15 | 6.338  |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| NO. 31 | 11.480 |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| EC. 15 | 9.748  |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| BC. 16 | 5.063  |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| NO. 32 | 5.189  |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| MC. 16 | 9.266  |      | 0.00 | 0.0            |    | 0.00 | 0.0            |

## 路面工

## 数量計算書

| 測点番号      | 距離      | 碎石路面 |      |                |    |      |                |
|-----------|---------|------|------|----------------|----|------|----------------|
|           |         | 幅員   | 平均幅員 | 面積             | 幅員 | 平均幅員 | 面積             |
|           | m       | m    | m    | m <sup>2</sup> | m  | m    | m <sup>2</sup> |
| NO. 33    | 10.734  |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| EC. 16    | 3.721   |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| BC. 17    | 13.841  | 0.00 | 0.00 | 0.0            |    | 0.00 | 0.0            |
| NO. 34    | 2.438   | 4.25 | 2.13 | 5.2            |    | 0.00 | 0.0            |
| MC. 17    | 9.630   | 4.25 | 4.25 | 40.9           |    | 0.00 | 0.0            |
| NO. 35    | 10.370  | 4.25 | 4.25 | 44.1           |    | 0.00 | 0.0            |
| EC. 17    | 1.699   | 4.25 | 4.25 | 7.2            |    | 0.00 | 0.0            |
| NO. 35+10 | 8.301   | 3.00 | 3.63 | 30.1           |    | 0.00 | 0.0            |
| NO. 36    | 10.000  | 4.00 | 3.50 | 35.0           |    | 0.00 | 0.0            |
| MC. 18    | 15.915  | 4.00 | 4.00 | 63.7           |    | 0.00 | 0.0            |
| NO. 37    | 4.085   | 4.00 | 4.00 | 16.3           |    | 0.00 | 0.0            |
| EC. 18    | 12.280  | 4.00 | 4.00 | 49.1           |    | 0.00 | 0.0            |
| NO. 38    | 7.720   | 3.04 | 3.52 | 27.2           |    | 0.00 | 0.0            |
| NO. 39    | 20.000  | 3.00 | 3.02 | 60.4           |    | 0.00 | 0.0            |
| NO. 40    | 20.000  | 3.00 | 3.00 | 60.0           |    | 0.00 | 0.0            |
| NO. 41    | 20.000  |      | 1.50 | 30.0           |    | 0.00 | 0.0            |
| BC. 19    | 6.885   |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| MC. 19    | 6.201   |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| NO. 42    | 6.914   |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| NO. 43    | 20.000  |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| MC. 20    | 12.892  |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| NO. 44    | 7.108   |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| EC. 20    | 5.556   |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| NO. 45    | 14.444  |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| BC. 21    | 4.836   |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| MC. 21    | 10.418  |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| NO. 46    | 4.746   |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| EC. 21    | 5.673   |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| NO. 47    | 14.327  |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| BC. 22    | 5.121   |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| NO. 48    | 14.879  |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| EC. 22    | 13.131  |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| NO. 49    | 6.869   |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| NO. 49+10 | 10.000  |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
| NO. 50    | 10.000  |      | 0.00 | 0.0            |    | 0.00 | 0.0            |
|           |         |      |      |                |    |      |                |
| 合計        | 1000.00 |      |      | 2,509.1        |    |      | 0.0            |



## 林道土工

## 数量計算書

| 測点番号   | 距離     | 補正距離  | 法面整形（盛土部）      |                |                | 摘 要  |        |      |       |
|--------|--------|-------|----------------|----------------|----------------|------|--------|------|-------|
|        |        |       | 法長             | 平均法長           | 面積             | 偏心距離 | 平均偏心距離 | 平均半径 | 補正乗数  |
|        | m      | m     | m <sup>2</sup> | m <sup>2</sup> | m <sup>3</sup> | m    | m      | m    |       |
| NO. 0  | 0.000  |       | 0.3            |                |                |      |        |      |       |
| NO. 1  | 20.000 | 20.00 | 0.0            | 0.15           | 3.0            |      | 0.00   |      | 1.000 |
| NO. 2  | 20.000 | 20.00 | 0.7            | 0.35           | 7.0            |      | 0.00   |      | 1.000 |
| BC. 1  | 7.957  | 7.96  | 0.0            | 0.35           | 2.8            |      | 0.00   |      | 1.000 |
| MC. 1  | 10.283 | 10.28 | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| NO. 3  | 1.760  | 1.76  | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| EC. 1  | 8.524  | 8.52  | 1.1            | 0.55           | 4.7            |      | 0.00   |      | 1.000 |
| BC. 2  | 1.951  | 1.60  | 0.7            | 0.90           | 1.4            | -4.3 | -2.15  | 12   | 0.821 |
| NO. 4  | 9.525  | 6.08  | 0.9            | 0.80           | 4.9            | -4.4 | -4.35  | 12   | 0.638 |
| MC. 2  | 2.562  | 2.09  | 0.0            | 0.45           | 0.9            | 0.0  | -2.20  | 12   | 0.817 |
| EC. 2  | 12.088 | 12.09 | 0.0            | 0.00           | 0.0            | 0.0  | 0.00   | 12   | 1.000 |
| BC. 3  | 2.426  | 2.43  | 0.0            | 0.00           | 0.0            | 0.0  | 0.00   | 15   | 1.000 |
| NO. 5  | 2.924  | 2.92  | 0.0            | 0.00           | 0.0            | 0.0  | 0.00   | 15   | 1.000 |
| MC. 3  | 5.723  | 5.72  | 0.0            | 0.00           | 0.0            | 0.0  | 0.00   | 15   | 1.000 |
| EC. 3  | 8.647  | 10.52 | 8.8            | 4.40           | 46.3           | 6.5  | 3.25   | 15   | 1.217 |
| NO. 6  | 5.630  | 5.63  | 8.3            | 8.55           | 48.1           |      | 3.25   |      | 1.000 |
| NO. 7  | 20.000 | 20.00 | 0.0            | 4.15           | 83.0           |      | 0.00   |      | 1.000 |
| BC. 4  | 12.433 | 12.43 | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| NO. 8  | 7.567  | 7.57  | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| EC. 4  | 8.485  | 8.49  | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| NO. 9  | 11.515 | 11.52 | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| NO. 10 | 20.000 | 20.00 | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| BC. 5  | 5.701  | 5.70  | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| NO. 11 | 14.299 | 14.30 | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| EC. 5  | 14.129 | 14.13 | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| NO. 12 | 5.871  | 5.87  | 1.1            | 0.55           | 3.2            |      | 0.00   |      | 1.000 |
| BC. 6  | 10.494 | 10.49 | 1.3            | 1.20           | 12.6           |      | 0.00   |      | 1.000 |
| MC. 6  | 5.785  | 5.79  | 0.9            | 1.10           | 6.4            |      | 0.00   |      | 1.000 |
| NO. 13 | 3.721  | 3.72  | 1.3            | 1.10           | 4.1            |      | 0.00   |      | 1.000 |
| EC. 6  | 2.066  | 2.07  | 1.1            | 1.20           | 2.5            |      | 0.00   |      | 1.000 |
| BC. 7  | 11.880 | 11.88 | 1.0            | 1.05           | 12.5           |      | 0.00   |      | 1.000 |
| NO. 14 | 6.054  | 6.05  | 0.4            | 0.70           | 4.2            |      | 0.00   |      | 1.000 |
| MC. 7  | 15.407 | 15.41 | 0.0            | 0.20           | 3.1            |      | 0.00   |      | 1.000 |
| NO. 15 | 4.593  | 4.59  | 1.0            | 0.50           | 2.3            |      | 0.00   |      | 1.000 |
| EC. 7  | 16.869 | 16.87 | 2.1            | 1.55           | 26.1           |      | 0.00   |      | 1.000 |
| NO. 16 | 3.131  | 3.13  | 1.4            | 1.75           | 5.5            |      | 0.00   |      | 1.000 |
| BC. 8  | 4.513  | 4.51  | 1.0            | 1.20           | 5.4            |      | 0.00   |      | 1.000 |

| 測点番号   | 距離     | 補正距離  | 法面整形（盛土部）      |                |                | 摘 要  |        |      |       |
|--------|--------|-------|----------------|----------------|----------------|------|--------|------|-------|
|        |        |       | 法長             | 平均法長           | 面積             | 偏心距離 | 平均偏心距離 | 平均半径 | 補正乗数  |
|        | m      | m     | m <sup>2</sup> | m <sup>2</sup> | m <sup>3</sup> | m    | m      | m    |       |
| MC. 8  | 13.187 | 13.19 | 0.0            | 0.50           | 6.6            |      | 0.00   |      | 1.000 |
| NO. 17 | 2.300  | 2.30  | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| EC. 8  | 10.884 | 10.88 | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| NO. 18 | 9.116  | 9.12  | 0.0            | 0.00           | 0.0            | 0.0  | 0.00   | 13   | 1.000 |
| MC. 9  | 15.793 | 15.79 | 0.0            | 0.00           | 0.0            | 0.0  | 0.00   | 13   | 1.000 |
| NO. 19 | 4.207  | 4.21  | 0.0            | 0.00           | 0.0            | 0.0  | 0.00   | 13   | 1.000 |
| ECBC10 | 11.836 | 11.84 | 0.0            | 0.00           | 0.0            | 0.0  | 0.00   | 13   | 1.000 |
| MC. 10 | 6.483  | 5.26  | 2.9            | 1.45           | 7.6            | -4.9 | -2.45  | 13   | 0.812 |
| NO. 20 | 1.681  | 1.03  | 3.3            | 3.10           | 3.2            | -5.1 | -5.00  | 13   | 0.615 |
| EC. 10 | 4.799  | 2.73  | 5.9            | 4.60           | 12.6           | -6.1 | -5.60  | 13   | 0.569 |
| NO. 21 | 15.201 | 15.20 | 1.6            | 3.75           | 57.0           |      | -3.05  |      | 1.000 |
| NO. 22 | 20.000 | 20.00 | 0.2            | 0.90           | 18.0           |      | 0.00   |      | 1.000 |
| BC. 11 | 2.575  | 2.58  | 0.0            | 0.10           | 0.3            |      | 0.00   |      | 1.000 |
| MC. 11 | 15.335 | 15.34 | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| NO. 23 | 2.090  | 2.09  | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| EC. 11 | 13.246 | 13.25 | 5.5            | 2.75           | 36.4           |      | 0.00   |      | 1.000 |
| NO. 24 | 6.754  | 6.75  | 12.3           | 8.90           | 60.1           |      | 0.00   |      | 1.000 |
| NO. 25 | 20.000 | 20.00 | 4.5            | 8.40           | 168.0          |      | 0.00   |      | 1.000 |
| MC. 12 | 2.106  | 2.11  | 4.3            | 4.40           | 9.3            |      | 0.00   |      | 1.000 |
| NO. 26 | 17.894 | 17.89 | 0.4            | 2.35           | 42.0           |      | 0.00   |      | 1.000 |
| EC. 12 | 10.647 | 10.65 | 0.0            | 0.20           | 2.1            |      | 0.00   |      | 1.000 |
| NO. 27 | 9.353  | 9.35  | 0.0            | 0.00           | 0.0            |      | 0.00   |      | 1.000 |
| BC. 13 | 14.387 | 14.39 | 0.0            | 0.00           | 0.0            | 0.0  | 0.00   | 16   | 1.000 |
| NO. 28 | 5.613  | 5.61  | 0.0            | 0.00           | 0.0            | 0.0  | 0.00   | 16   | 1.000 |
| MC. 13 | 4.269  | 4.27  | 0.0            | 0.00           | 0.0            | 0.0  | 0.00   | 16   | 1.000 |
| EC. 13 | 9.882  | 10.19 | 0.8            | 0.40           | 4.1            | 1.0  | 0.50   | 16   | 1.031 |
| NO. 29 | 5.849  | 5.85  | 3.2            | 2.00           | 11.7           |      | 0.50   |      | 1.000 |
| BC. 14 | 2.373  | 2.09  | 5.8            | 4.50           | 9.4            | -4.6 | -2.30  | 19   | 0.879 |
| MC. 14 | 9.904  | 7.40  | 6.6            | 6.20           | 45.9           | -5.0 | -4.80  | 19   | 0.747 |
| NO. 30 | 7.723  | 5.65  | 7.2            | 6.90           | 39.0           | -5.2 | -5.10  | 19   | 0.732 |
| EC. 14 | 2.182  | 1.58  | 7.2            | 7.20           | 11.4           | -5.3 | -5.25  | 19   | 0.724 |
| BC. 15 | 6.338  | 6.12  | 4.1            | 5.65           | 34.6           | 4.4  | -0.45  | 13   | 0.965 |
| NO. 31 | 11.480 | 13.42 | 0.0            | 2.05           | 27.5           | 0.0  | 2.20   | 13   | 1.169 |
| EC. 15 | 9.748  | 10.87 | 0.5            | 0.25           | 2.7            | 3.0  | 1.50   | 13   | 1.115 |
| BC. 16 | 5.063  | 5.09  | 0.5            | 0.50           | 2.5            | -2.8 | 0.10   | 19   | 1.005 |
| NO. 32 | 5.189  | 4.34  | 2.4            | 1.45           | 6.3            | -3.4 | -3.10  | 19   | 0.837 |
| MC. 16 | 9.266  | 7.00  | 9.0            | 5.70           | 39.9           | -5.9 | -4.65  | 19   | 0.755 |

| 測点番号      | 距離      | 補正距離  | 法面整形（盛土部）      |                |                | 摘 要   |        |      |        |
|-----------|---------|-------|----------------|----------------|----------------|-------|--------|------|--------|
|           |         |       | 法長             | 平均法長           | 面積             | 偏心距離  | 平均偏心距離 | 平均半径 | 補正乗数   |
|           | m       | m     | m <sup>2</sup> | m <sup>2</sup> | m <sup>3</sup> | m     | m      | m    |        |
| NO. 33    | 10.734  | 7.93  | 4.1            | 6.55           | 51.9           | -4.0  | -4.95  | 19   | 0.739  |
| EC. 16    | 3.721   | 2.87  | 6.0            | 5.05           | 14.5           | -4.7  | -4.35  | 19   | 0.771  |
| BC. 17    | 13.841  | 12.12 | 0.0            | 3.00           | 36.4           | 0.0   | -2.35  | 19   | 0.876  |
| NO. 34    | 2.438   | 2.44  | 0.0            | 0.00           | 0.0            | 0.0   | 0.00   | 19   | 1.000  |
| MC. 17    | 9.630   | 10.28 | 2.0            | 1.00           | 10.3           | 2.6   | 1.30   | 19   | 1.068  |
| NO. 35    | 10.370  | 11.79 | 2.0            | 2.00           | 23.6           | 2.6   | 2.60   | 19   | 1.137  |
| EC. 17    | 1.699   | 1.93  | 2.0            | 2.00           | 3.9            | 2.6   | 2.60   | 19   | 1.137  |
| NO. 35+10 | 8.301   | 8.30  | 4.5            | 3.25           | 27.0           |       | 1.30   |      | 1.000  |
| NO. 36    | 10.000  | 10.00 | 6.3            | 5.40           | 54.0           |       | 0.00   |      | 1.000  |
| MC. 18    | 15.915  | 15.92 | 5.4            | 5.85           | 93.1           |       | 0.00   |      | 1.000  |
| NO. 37    | 4.085   | 4.09  | 7.8            | 6.60           | 27.0           |       | 0.00   |      | 1.000  |
| EC. 18    | 12.280  | 12.28 | 7.5            | 7.65           | 93.9           |       | 0.00   |      | 1.000  |
| NO. 38    | 7.720   | 7.72  | 5.1            | 6.30           | 48.6           |       | 0.00   |      | 1.000  |
| NO. 39    | 20.000  | 20.00 | 0.0            | 2.55           | 51.0           |       | 0.00   |      | 1.000  |
| NO. 40    | 20.000  | 20.00 | 6.7            | 3.35           | 67.0           |       | 0.00   |      | 1.000  |
| NO. 41    | 20.000  | 20.00 | 0.0            | 3.35           | 67.0           |       | 0.00   |      | 1.000  |
| BC. 19    | 6.885   | 7.42  | 0.6            | 0.30           | 2.2            | 2.0   | 1.00   | 13   | 1.077  |
| MC. 19    | 6.201   | 7.22  | 1.2            | 0.90           | 6.5            | 2.3   | 2.15   | 13   | 1.165  |
| NO. 42    | 6.914   | 8.64  | 6.1            | 3.65           | 31.5           | 4.2   | 3.25   | 13   | 1.250  |
| NO. 43    | 20.000  | 16.08 | 11.4           | 8.75           | 140.7          | -8.9  | -2.35  | 12   | 0.804  |
| MC. 20    | 12.892  | 0.59  | 14.0           | 12.70          | 7.5            | -14.0 | -11.45 | 12   | 0.046  |
| NO. 44    | 7.108   | -0.83 | 13.2           | 13.60          | -11.3          | -12.8 | -13.40 | 12   | -0.117 |
| EC. 20    | 5.556   | 0.42  | 12.6           | 12.90          | 5.4            | -9.4  | -11.10 | 12   | 0.075  |
| NO. 45    | 14.444  | 14.44 | 5.1            | 8.85           | 127.8          |       | -4.70  |      | 1.000  |
| BC. 21    | 4.836   | 4.84  | 0.0            | 2.55           | 12.3           | 0.0   | 0.00   | 12   | 1.000  |
| MC. 21    | 10.418  | 10.42 | 0.0            | 0.00           | 0.0            | 0.0   | 0.00   | 12   | 1.000  |
| NO. 46    | 4.746   | 4.75  | 0.0            | 0.00           | 0.0            | 0.0   | 0.00   | 12   | 1.000  |
| EC. 21    | 5.673   | 6.10  | 0.1            | 0.05           | 0.3            | 1.8   | 0.90   | 12   | 1.075  |
| NO. 47    | 14.327  | 14.33 | 0.5            | 0.30           | 4.3            |       | 0.90   |      | 1.000  |
| BC. 22    | 5.121   | 5.12  | 1.6            | 1.05           | 5.4            |       | 0.00   |      | 1.000  |
| NO. 48    | 14.879  | 14.88 | 5.5            | 3.55           | 52.8           |       | 0.00   |      | 1.000  |
| EC. 22    | 13.131  | 13.13 | 4.3            | 4.90           | 64.3           |       | 0.00   |      | 1.000  |
| NO. 49    | 6.869   | 6.87  | 4.1            | 4.20           | 28.9           |       | 0.00   |      | 1.000  |
| NO. 49+10 | 10.000  | 10.00 | 3.8            | 3.95           | 39.5           |       | 0.00   |      | 1.000  |
| NO. 50    | 10.000  | 10.00 | 3.6            | 3.70           | 37.0           |       | 0.00   |      | 1.000  |
|           |         |       |                |                |                |       |        |      |        |
| 合計        | 1000.00 |       |                |                | 2,172.5        |       |        |      |        |




# 単位数計算書

細 別 : 地下排水工

10 m 当り

規 格 : 高密度ポリエチレン管 φ150



| 名称/規格   | 計 算 式                              | 数 量   | 単 位            | 延 長    | 単 位 数 量 |
|---------|------------------------------------|-------|----------------|--------|---------|
|         |                                    |       |                | (m)    |         |
| 巻立砕石    |                                    |       |                |        |         |
| C-40    | $(0.50+1.00)/2*0.50-3.14*0.15^2/4$ | 0.357 | m <sup>3</sup> | 10.000 | 3.570   |
| 吸出防止シート |                                    |       |                |        |         |
| t=10mm  | $1.00+0.50+0.50*1.118*2$           | 2.620 | m <sup>2</sup> | 10.000 | 26.200  |
|         |                                    |       |                |        |         |
|         |                                    |       |                |        |         |
|         |                                    |       |                |        |         |
| 床掘      |                                    |       |                |        |         |
|         | $(0.50+1.00)/2*0.50$               | 0.380 | m <sup>3</sup> | 10.000 | 3.800   |
|         |                                    |       |                |        |         |
|         |                                    |       |                |        |         |
|         |                                    |       |                |        |         |